

PATENT APPLICATION  
Mo-6051  
WW-5571

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION OF )  
 )  
RENÉ KIESEWETTER ET AL )  
 )  
SERIAL NUMBER: TO BE ASSIGNED )  
 )  
FILED: HEREWITH )  
 )  
TITLE: BUILDING MATERIAL )  
COMPOSITIONS )  
 )

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents

Washington, D.C. 20231

Sir:

This preliminary amendment is being filed concurrently with the subject patent application. Upon granting a Serial Number and filing date, please amend the subject patent application as follows.

Please amend the Application as follows.

"Express Mail" mailing label number EK33384786US  
Date of Deposit March 14, 2001

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner of Patents and Trademarks, Washington, D.C. 20231

Donna J. Veatch  
(Name of person mailing paper or fee)  
[Signature]  
Signature of person mailing paper or fee

**IN THE SPECIFICATION:**


Please replace lines 23-25 of page 10 with the following.

Building material compositions, based on gypsum, hydrated lime and cement, are typically of the following composition (in which all wt. %'s are based on total dry weight):

**REMARKS**

Lines 23-25 of page 10 of the specification have been amended herein to replace the underlined word "typically" with --typically--. The amendments presented herein do not represent the entry of new matter into the application. Applicants respectfully request entry of this amendment.

Respectfully submitted,  
RENÉ KIESEWETTER  
HARTWIG SCHLESIGER  
MARTIN MORNING  
GUNTER WEBER  
WERNER LANGE

By   
James R. Franks  
Agent for Applicants  
Reg. No. 42,552

Bayer Corporation  
100 Bayer Road  
Pittsburgh, Pennsylvania 15205-9741  
(412) 777-2905  
FACSIMILE PHONE NUMBER:  
(412) 777-5449  
s:\kgb\jrf028pa

## VERSIONS WITH MARKINGS TO SHOW CHANGES MADE

### IN THE SPECIFICATION: (Marked-Up)

The following is a version of Lines 23-25 of page 10, with markings to show changes made thereto in the present Preliminary Amendment.

Building material compositions, based on gypsum, hydrated lime and cement, are [typically] typically of the following composition (in which all wt. %'s are based on total dry weight):